

Artikel_Jurnal_4_- _Food_Commodity.pdf

by

Submission date: 15-Feb-2019 03:57PM (UTC+0700)
Submission ID: 1078614441
File name: Artikel_Jurnal_4_-_Food_Commodity.pdf (663.16K)
Word count: 5120
Character count: 24064

Fuzzy Logic using Tahani Model on Food Commodity

Adriyendi

IAIN Batu Sangkar, Indonesia
E-mail: elektronikpos@gmail.com

Abstract—Seasonal vegetable plants are one of food commodity in Indonesia which contributed significantly in supporting the growth of national economy. Fuzzy Logic using Tahani Model is appropriate to analyze the harvested area, production, and yields of food commodity. It is based on query in fuzzy database. It is also can be proposed as recommendation for both government and entrepreneur in achieving the target based on query. Target is main priority of food commodity. Fuzzy query is harvested area (medium), production (sufficient), and yield (normal). Non fuzzy query is commodity (export commodities), harvest (plants harvested several times), and form of product (fresh fruit). Result showed that eggplant (0.6587), tomato (0.6023), cucumber (0.5865), capsicum frutescens (0.2901), and capsicum annuum (0.1581) as recommendation for priority of national food policy.

Index Terms—Fuzzy logic, tahani model, food commodity, query, database.

I. INTRODUCTION

Indonesia is one of countries that produce seasonal plants like: Welsh onion, shallot, garlic, red bean, cauliflower, potato, cabbage, radish, Chinese cabbage, carrot, spinach, green bean, chili (*capsicum annuum*), small chili (*capsicum frutescens*), mushroom, yard long bean, kangkong, cucumber, chayote, sweet pepper, eggplant, and tomato [1]. As one of food commodity in Indonesia, these plants has given significant contribution in supporting the national economy, such as, the increasing of revenue, the availability of food products, the substances of cosmetics and health products, and recruitment of workers, particularly on farming and trading. The data of seasonal vegetable plants are needed by the government as well as the entrepreneur. For the government, it is needed to formulate the policy, create plan, do evaluation and develop food commodity. While, it is necessary for the entrepreneur for planning and developing food business.

Then, the data of seasonal vegetable plants are dataset which has crisp and uncertainty values [2]. These values are kept in database. In a kind of ordinary database, crisp values are stored in order to give a certain information. However, due to the ambiguity and uncertainty of the data, fuzzy database is used [3]. Fuzzy database reflects the ambiguity of the data by expanding the model of it. It

can be done by operating relational fuzzy like a grade which is added by standard relation. The common used database have complete data in each table. If it is in query, it must use the existing data in the table and the applied keywords in SQL [5]. It is difficult to use a common database when there are uncertain data (like unclassified food commodity) and ambiguous data (like looking for the data of food commodity which are categorized as fresh fruits categories, export criteria, and high production) appeared.

Therefore, fuzzy logic is necessary used for it can manipulate the data containing uncertainty and ambiguity in database in term of data and queries. It also has several benefits for example fuzzy logic is flexible, is tolerant of imprecise data, is as nonlinear model of arbitrary complexity, can be built on top of experience of experts, can be blended with conventional control technique, and is based on natural language [4]. Seeing these phases, no wonder fuzzy logic is very popular.

Fuzzy logic is using fuzzy database with Tahani model. This model is still using standard relation and equipped with the theory of fuzzy set to get information on its query. It has couple of advantages for instance allow the handling of data naturally because it is used the logic of human thinking, have systematic data, and supplies the database environment to handle fuzzy data, and provide exact way to describe the exact conclusions from ambiguous and inappropriate information [6].

II. RELATED WORK

Based on paper [7], decision making to determine how to long the period of study and index student achievement, by using fuzzy logic with Tahani model database. All data contained in the database of academic portal campus. Based on paper [8], dashboard application for determine work priority of technicians. This application using fuzzy logic Tahani model with input parameter is temperature of devices, age of site maintenance, and site revenue. Output is recommendations to check based on appropriate of temperature criteria. Based on paper [9], the choice of the course on a reservation is required by prospective students. In this paper, implementing fuzzy logic using Tahani model to recommendation with the prospective course in way input criteria by user. Result shown that user get a list institution recommendation.

Based on paper [10], this research discusses the selection of scholarship acceptance by using fuzzy

database Tahani and Simple Additive Weighting to determine recipients. The results showed that ranking user and recommendation to the receiving scholarships. Based on paper [11], implementing fuzzy Tahani model of database with Max-Min rules to choice of motorcycle. A fuzzy set model with 3 criteria: condition, year of manufacture, prices. Results shown that fuzzy Tahani model of database with Max-Min can give recommendation for the buyers.

III. METHOD PROPOSED

Method proposed is implementing Fuzzy Logic using Tahani Model. Process of Fuzzy Logic is Fuzzy-fication, Inference, and Defuzzy-fication. Tahani Model based on Query (Fuzzy Query and Non Fuzzy Query).

A. Framework

Method proposed can be depicted with Framework, shown in Fig. 1.




Fig. 1. Framework

Fig. 1 shown step by step process in Framework. Step A; Dataset based data source. Step B: Variable Fuzzy based on expert input. Step C: Input Membership Function based on fuzzy truth-value and Membership Degree. Step D: Fuzzification based on Fuzzy Logic. Step E: Query based on expert input. Query consist of Fuzzy Query on Step F and Non Fuzzy Query on Step G. Step H: Inference by rules as fuzzy input and output variables (variable fuzzy and variable non fuzzy). Step I: Variable Non Fuzzy based on expert input. Step J: Defuzzification based on Fire Strength minimum. Step K: Output based on Fire Strength with interval 0 and 1.

Crispy changed became data based on Dataset in step by step of Framework. Output is recommendation as main priority.

B. Fuzzy Logic

Fuzzy Logic is the method for mapping space input to space output. Fuzzy logic used to data processing in decision making. Fuzzy Logic Fuzzy apply to decision making and give recommendation. Fuzzy Logic display on Fig. 2.




Fig.2. Fuzzy Logic

There are 3 steps in this method [12]. Step 1: Fuzzification is process mapping the input into fuzzy query by input membership function. Steps 2: Inference by rules as evaluation to get output. Step 3: Defuzzification is process converting into crisp output. Output depend on fuzzy set, variable fuzzy and variable non fuzzy [13]. The fuzzy truth-value is interval [0 and 1] on fuzzy set. Representation value 0 is completely false and 1 is completely true. In linguistic terms, the truth-values are expressed of sentence "x" will be denoted as $\mu(x)$. In any condition, fuzzy set like: small area, excessive production, maximum yield, where the condition can be given a value between 0 and 1. Fuzzy set [14] allow operations of union (fuzzy union = fuzzy OR), intersection (fuzzy intersection = fuzzy AND), and complement (fuzzy complement = fuzzy NOT). For this application are using fuzzy intersection. Standard fuzzy operations based on paper [13]:

$$A = \mu_A(x) / x : x \in X, \mu_A(x) = [0, 1] \quad (1)$$

$$\text{if } (X_1 \text{ is } A_1 \bullet X_2 \text{ is } A_2 \bullet \dots \bullet X_n \text{ is } A_n) \text{ then } = k \quad (2)$$

$$(A \cap B)(x) = \min[A(x), B(x)] \quad (3)$$

Symbol \bullet noted as operator AND, where k is a constant, and A is fuzzy set, x element with interval [0, 1]. Fuzzy set based on equation (1). Fuzzy intersection based

on equation (2). Defuzzification based on Fire Strength minimum using equation (3).

C. Tahani Model

One of model in Fuzzy Logic is Tahani Model. Model used to fuzzy database. Fuzzy database can be doing by the way using fuzzy relation in adding grade to standard relation [15]. This model is a method fuzzy query [16] based on Structured Query Language in manipulation data. Advantages fuzzy query is flexibility data, handle error, searching flexibility, and responsible empty space. This model using fuzzy set theory as a variable to get information based on query. Steps of Tahani model based on paper [17].

- Memberships Function for each criteria or variable fuzzy. Membership Function depicted by a curve shown that mapping point data input to membership value with interval 0 and 1. Membership Function using liner curve.
- Fuzzification as calculation fuzzy with value change from crispy to fuzzy. Each variable fuzzy calculate value membership cardinality for each fuzzy set.
- Query on Fuzzy-fication assumption as conventional query (non fuzzy) with formed query with standard relation. Operator used to standard relation is intersection.




Fig. 3. Tahani Model

Fig. 3 shown Tahani Model using Fuzzy Query and Non Fuzzy Query. Fuzzy Query used to process of inference. Non Fuzzy Query used to process of defuzzification.

IV. RESULT AND DISCUSSION

Fuzzy Logic using Tahani Model on Food Commodity based on Dataset from data source (Statistics of Seasonal Vegetable and Fruit Plants, BPS-Statistic Indonesia 2015). Process of Dataset by using Excel software.

A. Dataset

Dataset can be seen on Table 1.

Table 1. Dataset

No.	Food Commodity	Harvested Area (Ha)	Production (Ton)	Yield (Ton/Ha)
1	Welch Onion	52.495	512.497	9.69
2	Shallot	122.126	1.229.189	10.06
3	Garlic	2.563	20.293	7.92
4	Red Bean	15.437	42.388	2.71
5	Castiflower	11.195	118.394	10.58
6	Potato	66.923	1.219.237	18.20
7	Cabbage	64.625	1.443.227	22.33
8	Radish	1.421	21.470	15.05
9	Chinese Cabbage	58.452	600.200	10.23
10	Curet	39.280	322.529	17.26
11	Spinach	42.138	150.093	3.56
12	Green Bean	25.645	291.333	11.36
13	Capiscum	120.847	1.045.200	8.65

	Amount			
14	Capiscum	134.869	869.954	6.45
15	Muskmelon	536	33.485	62.53
16	Yard Long Bean	63.177	395.524	6.26
17	Kangkong	48.996	305.080	6.23
18	Cucumber	43.573	447.606	10.27
19	Chayote	9.436	431.219	45.70
20	Sweet Pepper	183	5.658	30.92
21	Eggplant	45.919	514.332	11.20
22	Tomato	54.544	877.801	16.09
Total		1.016.246	11.096.818	343.25
Maximum		134.869	1.443.227	62.53
Minimum		183	5.658	2.71
Average		40.195	304.402	15.60

Table 1 shown dataset with variable total, maximum minimum, and average to determine membership function.

B. Variable Fuzzy

Variable Fuzzy can be seen on Table 2.

Table 2. Variable Fuzzy

No.	Criteria	Variable Fuzzy		
		Small	Medium	Big
1	Harvested Area	Few	Sufficient	Excessive
2	Production	Minimum	Normal	Maximum

C. Membership Function

Membership Function showed on Table 3.

Table 3. Membership Function

Small			
≤ -183	$183 \leq x \leq -46.193$	≥ -46.193	
1	$(-46.193-x)/(-183)$	0	
Medium			
≤ -46.193	$183 \leq x \leq -46.193$	$-46.193 \leq x \leq -134.869$	≥ -134.869
0	$(x-183)/(-46.193-183)$	$(-134.869-x)/(-134.869+46.193)$	0
Big			
≤ -46.193	$-46.193 \leq x \leq -134.869$	≥ -134.869	
0	$(x+46.193)/(-134.869+46.193)$	1	
Few			
≤ -5.658	$5.658 \leq x \leq -504.402$	≥ -504.402	
1	$(x+5.658)/(-504.402-5.658)$	0	
Sufficient			
≤ -5.658	$5.658 \leq x \leq -504.402$	$-504.402 \leq x \leq -1.443.227$	$\geq -1.443.227$
0	$(x-5.658)/(-504.402-5.658)$	$(-1.443.227-x)/(-1.443.227+504.402)$	0
Excessive			
≤ -504.402	$-504.402 \leq x \leq -1.443.227$	$\geq -1.443.227$	
0	$(x+504.402)/(-1.443.227+504.402)$	1	
Minimum			
≤ -2.71	$2.71 \leq x \leq 15.60$	≥ 15.60	
1	$(x-2.71)/(15.60-2.71)$	0	
Normal			
≤ -15.60	$15.60 \leq x \leq -62.53$	$-62.53 \leq x \leq 15.60$	≥ -62.53
0	$(x+15.60)/(-62.53-15.60)$	$(62.53-x)/(62.53+15.60)$	0
Maximum			
≤ -15.60	$15.60 \leq x \leq -62.53$	≥ -62.53	
0	$(x+15.60)/(-62.53+15.60)$	1	

Table 3 shown Membership Function with Membership Degree for each variable.

Variable Small with bottom boundary is $x \leq -183$, middle boundary is $183 \leq x \leq -46.193$, top boundary is ≥ -46.193 , and interval $[1, 0]$. Variable Medium with bottom boundary is $x \leq -46.193$, middle boundary is $183 \leq x \leq -46.193$ and $-46.193 \leq x \leq -134.869$, top boundary is ≥ -134.869 , and interval $[0, 0]$. Variable Big with bottom boundary is $x \leq -46.193$, middle boundary is $-46.193 \leq x \leq -134.869$, top boundary is ≥ -134.869 , and interval $[0, 1]$. Membership degree and interval to variable Few, Sufficient, Excessive Minimum, Normal, and Maximum display on Table 3. Fig. 4 shown curve triangular based on Membership Function.





Fig.4. Curve Triangular

Table 4. Fuzzy-fication 1

Harvested Area		Production			
183	46,193	124,869	5,658	594,402	1,443,227
Small	Medium	Big	Few	Sufficient	Excessive
0	0.9244	0.9756	0	0.9914	0.0086
0	0.1437	0.4563	0	0.2280	0.7720
0.9483	0.0517	0	0.9307	0.0293	0
0.6641	0.3359	0	0.9264	0.0736	0
0.7607	0.2393	0	0.7748	0.2280	0
0	0.7656	0.2844	0	0.2385	0.7615
0	0.7921	0.2079	0	0	1
0.9738	0.0270	0	0.9683	0.0317	0
0	0.8595	0.1405	0	0.3980	0.6020
0.3458	0.6548	0	0	0.9897	0.0103
0.0881	0.9119	0	0.7104	0.2896	0
0.4466	0.5534	0	0.4272	0.5728	0
0	0.1581	0.4419	0	0.4240	0.5760
0	0	1.0000	0	0.6186	0.3854
0.9923	0.0077	0	0.9482	0.0558	0
0	0.8085	0.1915	0.2183	0.7817	0
0	0.9684	0.0316	0.3996	0.6004	0
0.0569	0.9431	0	0.1137	0.8863	0
0.7989	0.2011	0	0.1467	0.8333	0
1	0	0	1	0	0
0.0068	0.9940	0	0	0.9834	0.0166
0	0.9058	0.0042	0	0.6023	0.3977

D. Fuzzy-fication

Fuzzy-fication display on Table 4.

Table 4 shown result of fuzzy-fication using variable: Small, Medium, Big, Few, Sufficient, and Excessive.

Table 4 shown fuzzy-fication using Excel with formula:

```
= IF(F24<=IS23,1,  
IF(AND(F24>=IS21,F24<=IS23),(IS23-F24)/(IS23-IS21),  
IF(F24>=IS23,0,0)))
```

This formula for criteria (Harvested Area) and variable (Small) by operator intersection = AND, and interval fuzzy [0, 1]. Fuzzy-fication based on equation (1) and equation (2).

Table 5 shown result of fuzzy-fication using variable: Minimum, Normal, and Maximum on Criteria Yield.

Table 5. Fuzzy-fication 2

Yield			Yield		
2.71	15.00	62.53	2.71	15.00	62.53
Minimum	Normal	Maximum	Minimum	Normal	Maximum
0.4585	0.5415	0	0.3289	0.6711	0
0.4298	0.5702	0	0.5392	0.4608	0
0.5958	0.4042	0	0.7099	0.2901	0
1	0	0	0	0	1
0.3894	0.6105	0	0.7246	0.2754	0
0	0.9446	0.4554	0.7269	0.2731	0
0	0.8566	0.1434	0.4435	0.5865	0
0.9427	0.9573	0	0	0.3586	0.6414
0.4166	0.5834	0	0	0.6736	0.3264
0	0.9640	0.9354	0.3413	0.6587	0
0.9343	0.0659	0	0	0.0896	0.0104

E. Query

Inference using Fuzzy Query and Defuzzification using Non Fuzzy Query.

F. Fuzzy Query

Fuzzy query showed on Table 6.

Table 6. Fuzzy Query

Fuzzy Query	Symbol	Output
Medium	F4	...?
Sufficient	F5	...?
Normal	F6	...?

Table 6 shown Fuzzy Query using variable: Medium, Sufficient, and Normal. Fuzzy Query used to achieve target: main priority of food commodity for *scalability*. Target is harvested area (medium) because can be developed, production (sufficient) because can be optimum, and yield (normal) because can be maximum.

G. Non Fuzzy Query

Non fuzzy query display on Table 7.

Table 7. Non Fuzzy Query

Non Fuzzy Query	Symbol	Output
Export Commodities	F1	...?
Plant Harvested Several Times	F2	...?
Fresh Fruit	F3	...?

Non Fuzzy Query using variable: export commodities, plant harvested several times, and fresh fruit. Non Fuzzy Query used to achieve target: main priority of food commodity for *availability*. Target is export commodities, plants harvested several times, and fresh fruit. Variable based on expert input showed on Table 8.

Table 8. Variable Based on Expert Input

Variable Fuzzy				
No.	Criteria	Variable		
1	Harvested Area	Small	Medium	Big
2	Production	Few	Sufficient	Excessive
3	Yield	Minimum	Normal	Maximum
Fuzzy Query				
	Medium	Sufficient	Normal	

Variable Non Fuzzy				
No.	Criteria	Variable		
1	Commodity	Export Commodities	Non Export Commodities	
2	Harvest	Plant Harvested Fresh	Plant Harvested Several Times	
3	Form of Product	Fresh Leaf	Fresh Roots with Leaf	Fresh Fruit
Non Fuzzy Query				
	Export Commodities	Plant Harvested Several Times	Fresh Fruit	

H. Inference

Result of inference is merge output Fuzzy Query (F4, F5, and F6) and Non Fuzzy Query (F1, F2, and F3), can be seen on Table 9.

Table 9. Inference

No.	F1	F2	F3	F4	F5	F6
1	No	No	No	0.9244	0.3914	0.5415
2	Yes	No	No	0.1437	0.2280	0.3702
3	Yes	No	No	0.0517	0.4293	0.4042
4	No	No	No	0.3359	0.9736	0
5	Yes	No	No	0.2368	0.2260	0.6106
6	Yes	No	No	0.7656	0.2583	0.9446
7	Yes	No	No	0.7921	0	0.8546
8	Yes	No	No	0.0270	0.0317	0.9573
9	No	No	No	0.8395	0.4980	0.5834
10	Yes	No	No	0.6541	0.3807	0.9646
11	Yes	Yes	No	0.9119	0.2896	0.6659
12	No	Yes	No	0.5534	0.5728	0.6711
13	Yes	Yes	Yes	0.1581	0.4240	0.4608
14	Yes	Yes	Yes	0	0.4106	0.2901
15	Yes	Yes	No	0.0077	0.9558	0
16	Yes	Yes	No	0.0085	0.7817	0.2754
17	No	Yes	No	0.9684	0.6004	0.2731
18	Yes	Yes	Yes	0.9431	0.4863	0.5885
19	No	Yes	Yes	0.2011	0.4513	0.3586
20	No	Yes	Yes	0	0	0.6736
21	Yes	Yes	Yes	0.9940	0.3894	0.6587
22	Yes	Yes	Yes	0.9058	0.6023	0.9896

Table 9 shown output process of inference. There are 5 output (marked by grey area) is category by *Yes All Output*. Output is No. 13 = capsicum annum, No. 14 = capsicum frutescens, No. 18 = cucumber, No. 21 = eggplant, and No. 22 = tomato. Non Fuzzy Query (F4, F5, F6) using Excel formula:

$$\begin{aligned} &= IF(C24="Export Commodities", "Yes", \\ &IF(D633=C24, "Yes", "No")) \end{aligned}$$

It is formula for query (non-fuzzy query: export commodities).

Fuzzy Query (F1, F2, F3) using Excel formula:

$$\begin{aligned} &= IF(G24<>L23, 0, \\ &IF(AND(G24<>L23, G124<>MS23), G24-L23)/(MS21-L23), \\ &IF(AND(G24<>MS23, G124<>MS23), (G24-MS23)/(MS23-MS23), \\ &IF(G124<>MS23, 0, 0))) \end{aligned}$$

It is formula for query (fuzzy query: sufficient) based on inference (merge and sorting).

I. Variable Non Fuzzy

Variable Non Fuzzy used to Defuzzification.

J. Defuzzification

Defuzzification by using Fire Strength display on Table 10.

Table 10. Fire Strength

No.	Medium (F4)	Sufficient (F5)	Nominal (F6)	Strength
1	0.9244	0.5914	0.3413	0.3413
2	0.1837	0.2280	0.5702	0.1837
3	0.0517	0.0293	0.4042	0.0293
4	0.3359	0.0736	0	0.0736
5	0.2393	0.2290	0.6100	0.2290
6	0.7656	0.2385	0.9146	0.2385
7	0.7921	0	0.8566	0.7921
8	0.0270	0.0317	0.9573	0.0270
9	0.8995	0.8990	0.5834	0.5834
10	0.6541	0.5607	0.9646	0.6541
11	0.0119	0.2896	0.0659	0.0659
12	0.5534	0.5728	0.6711	0.5534
13	0.1581	0.4240	0.4608	0.1581
14	0	0.6106	0.2961	0.2961
15	0.0077	0.0598	0	0.0077
16	0.8085	0.7817	0.2754	0.2754
17	0.9684	0.6004	0.2731	0.2731
18	0.9431	0.8863	0.5863	0.3865
19	0.2011	0.8533	0.3586	0.2011
20	0	0	0.6736	0
21	0.9940	0.5894	0.6387	0.5887
22	0.9058	0.6023	0.9896	0.6023

Table 10 showed Fire Strength (marked by shaded in grey area) based on minimum value of variable fuzzy (Medium, Sufficient, and Nominal). Fire Strength using Excel formula = MIN (G62, J62, M62). Fire Strength based on equation (3). Data source of Fire Strength from result of inference. Fire Strength marked by red font is minimum value for query by category *Yes All Output*.

K. Output

Data processing using Excel software by input, process, and output:

- Data processing of fuzzy-fication from *crisp input to fuzzy input* by using input membership function.
- Data processing of inference from *fuzzy input to fuzzy output* by using rules evaluation.
- Rules evaluation used to inference by query.
- Data processing of defuzzy-fication from *fuzzy output to crisp output* by using output membership function.

Table 11 showed Formula and Membership Function for Fuzzy-fication by using Fuzzy Query, Formula and Membership Function for Inference by using Non Fuzzy Query, Formula and Membership Function for Defuzzy-fication by using Fire Strength.

Table 11. Formula

Fuzzy-fication	
Fuzzy Query	Formula
μ Small [x]	=IF(F24<=JS23,1, IF(AND(F24>=JS23,F24<=KS23), (JS23-F24)/(JS23-KS23), IF(F24>=KS23,0,0))
μ Medium [x]	=IF(F24>=LS23,0, IF(AND(F24>=JS23,F24<=KS23), (F24-JS23)/(KS23-JS23), IF(F24>=KS23,1,0))
μ Big [x]	=IF(F24>=LS23,0, IF(AND(F24>=JS23,F24<=KS23), (F24-JS23)/(KS23-JS23), IF(F24>=KS23,1,0))
μ Few [x]	=IF(G24<=LS23,1, IF(AND(G24>=LS23,G24<=MS23), (MS23-G24)/(MS23-LS23), IF(G24>=MS23,0,0))
μ Sufficient [x]	=IF(G24<=LS23,0, IF(AND(G24>=LS23,G24<=MS23), (G24-LS23)/(MS23-LS23), IF(AND(G24>=MS23),(MS23-G24)), IF(G24>=MS23,0,0))
μ Excessive [x]	=IF(G24>=MS23,0, IF(AND(G24>=MS23,G24<=NS23), (G24-MS23)/(NS23-MS23), IF(G24>=NS23,1,0))
μ Minimum [x]	=IF(H24>=OS23,1, IF(AND(H24>=OS23,H24<=PS23), (PS23-H24)/(PS23-OS23), IF(H24>=PS23,0,0))
μ Normal [x]	=IF(H24>=OS23,0, IF(AND(H24>=OS23,H24<=PS23), (H24-OS23)/(PS23-OS23), IF(AND(H24>=PS23),(PS23-H24)), IF(H24>=PS23,0,0))
μ Maximum [x]	=IF(H24>=PS23,0, IF(AND(H24>=PS23,H24<=QS23), (H24-PS23)/(QS23-PS23), IF(H24>=QS23,1,0))
Inference	
Non Fuzzy Query	Formula
μ Export Commodities [y]	=IF(C524="Export Commodities","Yes", IF(D553-C24,"Yes","No"))
μ Plant Harvested Several Times [y]	=IF(D524="Plant Harvested Several Times","Yes", IF(D554-D24,"Yes","No"))
μ Form of Product [y]	=IF(D524="Fresh Fruit","Yes", IF(D555-E24,"Yes","No"))
Defuzzy-fication	
Output	Formula
Fire Strength	=MIN(G62,J62,M62)




Fig. 5. Graphic of Dataset

Fig. 5 shown Dataset of Food Commodity (22 point data) by criteria Harvested Area, Production, and Yield




Fig.6. Graphic of Fuzzy-fusion 1

Fig. 6 shows output Fuzzy-fication 1 based on input variable fuzzy to membership function. Fuzzy-fication 1 using Fuzzy Query: Small, Medium, and Big.




Fig. 7 Graphic of Fuzzy-fication 2

Fig. 7 shows output Fuzzy-fication 2 based on input variable fuzzy to membership function. Fuzzy-fication 2 using Fuzzy Query: Few, Sufficient, and Excessive.




Fig. 8. Graphic of Fuzzy-fraction 3

Fig. 8 shown output Fuzzy-fication 3 based on input variable fuzzy to membership function. Fuzzy-fication 3 using Fuzzy Query: Minimum, Normal, and Maximum




Fig. 9. Graphic of *In Situca* by Happy Quay

Fig. 9 shown inference using Fuzzy Query: Medium, Sufficient, and Normal.



Fig.10. Graphic of Inference by Non Fuzzy Query

Fig. 10 shows Inference using Non Fuzzy Query: Export Commodities, Plant Harvested Several Times, and Fresh Fruit.




Fig. 11. Graphic of Defuzzification

Fig. 11 shown Defuzzification using Fire Strength based on minimum value as output recommendation.




Fig. 12. Graphic of Target

Fig. 12 shown Target based on category by *Few All* Output with 5 food commodity as target of priority.

V. CONCLUSION

Main process in this application is Fuzzy-fication, Inference, and Defuzzy-fication based on Fuzzy Logic using Tahani model. Tahani model using Query (Fuzzy Query and Non Fuzzy Query). Input Membership Function based on crisp value of Dataset by using variable fuzzy. Output is target (main priority in scalability and availability) based on value of Fire Strength. Target based on Fire Strength with minimum value, merge and sorting form result of Fuzzy Query and Non-Fuzzy Query. Target is eggplant (0.6587), tomato (0.6023), cucumber (0.5865), capsicum frutescens (0.2901), and capsicum annuum (0.1581). Target is recommendation for main priority of national policy on food commodity. Future work, fuzzy logic is by using Mamdani Model, Sugeno Model and Tsukamoto Model on food commodity.

REFERENCES

- BPS Statistics Indonesia, "Statistics of seasonal vegetable and fruit plants", Sub-directorate of Horticulture Statistics, pp. 1-114, 2015.
- A. Amni and N. Nikmat, "Proposing two defuzzification methods based on output fuzzy set weights", International Journal of Intelligent System and Applications, MECS Publisher, vol. 8, no. 2, pp. 1-12, 2016.
- Z. Ha, Y. V. Bodryanskiy, O. K. Tyschenko, and V. O. Samitova, "Fuzzy clustering data given on the ordinal scale based on membership and likelihood function sharing", International Journal of Intelligent Systems and Applications, MECS Publisher, vol. 9, no. 2, pp. 1-9, 2017.
- G. Singh, P. Kaur and D. Goyal, "A review fuzzy logic and its application", International Journal of Engineering and Technical Research, pp. 61-66, 2014.
- A. Nufayli, U. Pajianto and F. Alqodri, "Implementing fuzzy tahani model for recommendation locate of apprentice", National Seminar Information System, Indonesia, pp. 501-508, 2015.
- I. Nazir, "Decision support system for selection pc tablet by using fuzzy tahani model", Final Project, Informatics Engineering, UIN SUSKA, pp. 1-96, 2013.
- S.A. Akbari, "Decision support system for the period of study and index student achievement using fuzzy tahani method", Pelangi E-Jurnal, vol. 6, no. 2, pp. 126-131, 2014.
- A. Hanur and Erfin, "Application of dashboard for determine work priority of technicians using fuzzy logic", Journal of Research of Applied Science and Education, vol. 8, iss. 1, pp. 192-202, 2016.
- E. Dianati, "Fuzzy logic of tahani model for optional course recommendation in english village pare kediri", Citec Journal, vol. 3, no. 3, pp. 200-213, 2016.
- R. Helmiati, W.W. Winarno and H.A. Fatta, "Application of simple additive and fuzzy method in decision support system scholarship", Citec Journal, vol. 3, no. 2, pp. 89-101, 2016.
- P.N. Lelita, "The support model for secondhand motorcycle purchase using the fuzzy model database and max-min rule", Thesis of Informatics Engineering, Sembalun Dharma University, pp. 1-90, 2016.
- K. Singh, "Fuzzy logic based modified adaptive modulation implementation for performance enhancement in ofdm systems", International Journal of Intelligent System and Applications, MECS Publisher, vol. 8, no. 5, pp. 49-54, 2016.
- L.A. Nasution, "Decision support system for determine laptop selection by using fuzzy tahani", Pdkt. Informatics of Budi Darma, vol. 6, no. 1, pp. 93-96, 2014.
- K. N. Kumar, C. S. Reddy and N. V. E. S. Murthy, "Fuzzy based xml knowledge retrieval methods in edaphology", International Journal of Intelligent System and Applications, MECS Publisher, vol. 8, no. 8, pp. 55-64, 2016.
- G. Taufiq, "Fuzzy logic tahani to support decision recruitment employee", Proceeding National Seminar Applied Science and Technology, pp. 9-10, 2014.
- A. Garg and R. Rishi, "Querying capability enhancement in database using fuzzy logic", Global Journal of Computer Science and Technology, vol. 12, iss. 6, ver. 1.0, pp. 1-9, 2012.
- Kahar, N. "Decision support system for jambesda acceptance at jambi city", National Conference Informatics, vol. 1, pp. 215-220, 2013.

Authors' Profiles



Adriyendi, he received the Master's degree in computer science from UPI YPTK Padang, in 2009. Currently, he is a lecturer at UPI YPTK Padang and IAIN Batusangkar, Indonesia. His research interests include artificial intelligence, decision support systems, image processing,

healthcare informatics, food sciences, data mining, and information engineering.

How to cite this paper: Adriyendi, "Fuzzy Logic using Tahani Model on Food Commodity", International Journal of Intelligent Systems and Applications(IJISA), Vol.9, No.7, pp.1-11, 2017. DOI: 10.5815/ijisa.2017.07.01

Artikel_Jurnal_4_-_Food_Commodity.pdf

ORIGINALITY REPORT

2%

SIMILARITY INDEX

3%

INTERNET SOURCES

2%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to Sardar Patel Institute of
Technology

Student Paper

2%

Exclude quotes

On

Exclude matches

< 2%

Exclude bibliography

On